Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	707/200.ccls and (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 19:38
L2	14	707/200.ccls. and (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 19:43
S1	1457	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:22
S2	570	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 19:43
S3	332	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:06
S4	39	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:07

S5	38	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:08
S6	13	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and re\$1stor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/09 17:14
S7	38	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 19:38
S8	3	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:29

			I	1	Т	7
S9		(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:25
S10	3	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and (file adj2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:18
S11	67	(network adj data adj management adj protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/09 17:46
S12	0	(network adj data adj management adj protocol) and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:46
S13 _.	8	(network adj data adj management adj protocol) and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 17:46

0	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and (file adj2 system) and q\$1tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:19
62	((user adj interface) gui) with (manipulat\$4 manage\$5) with back\$1up with (data content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:22
1	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:23
0	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 and q\$1tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:23
0	(index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (qui (graphical adj user adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 18:29
	62	"point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and (file adj2 system) and q\$1tree 62 ((user adj interface) gui) with (manipulat\$4 manage\$5) with back\$1up with (data content) 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 0 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image)))) and S15 and q\$1tree 0 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image)))) and (replicat\$4 mirror\$4 back\$1up) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj	"point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface) and (file adj2 system) and q\$1tree 62 ((user adj interface) gui) with (manipulat\$4 manage\$5) with back\$1up with (data content) 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 and q\$1tree 0 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and (ltime\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface)	"point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and (file adj2 system) and q\$1tree ((user adj interface) gui) with (manipulat\$4 manage\$5) with back\$1up with (data content) 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 and q\$1tree 0 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target and (hierarch\$6 with directory) and (back\$1up) and (respitator\$4 back\$1up) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (respitator\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (put (graphical adj user adj interface) 1 (graphical adj user adj interface)	"point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (source primary) and (destination secondary back\$1up target) and (hierarch\$6 with directory) and (back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) or (user adj interface)) and (file adj2 system) and q\$1tree 62 ((user adj interface) gui) with (manipulat\$4 manage\$5) with back\$1up with (data content) 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and S15 and q\$1tree 1 (index\$3 with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (replicat\$4 mirror\$4 back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (replicat\$4 mirror\$4 back\$1up) and (re\$1stor\$5 recover\$4) and ((time\$1stamp date\$1stamp time date) with (snapshot pit pcpi "point in time" point\$1in\$1time (persistent adj consistency adj point adj image))) and (gui (graphical adj user adj interface) 1 (graphical adj user adj interface) 1 (graphical adj user adj interface) 1 (graphical adj user adj interface) 2 (graphical adj user adj interface) 2 (graphical adj user adj interface) 3 (graphical adj user adj interface) 3 (graphical adj user adj interface) 4 (graphical adj user adj interface) 4 (graphical adj user adj interface) 5 (graphical adj user adj i